Quinidine Sulfate

BUCHL E A Member of the FAGUS Group

Date of issue:	24.09.2012
Revision date:	15.04.2025
Version:	12
Replaces version:	11

			Replaces version:	11
SECTION 1: Ide	entification of the subs	stance/mixture and of the con	npany/undertaking	
1.1. Product i				
Product form		: Substance		
Substance name		: Quinidine Sulfate		
IUPAC name		: Bis(S)-[(2R,4S,5R)-5-ethenyl-1-azabicyclo[2.2.2]oct-2-yl]		
		(6-methoxyquinolin-4-yl)methanol sulfate dihydrate		
EC No		: 200-046-3 / 678-472-8		
CAS No		: 50-54-4 / 6591-63-5		
Formula		: C20H24N2O2*1/2H2O4S*2H ₂ O		
Synonyms		: Cinchonan-9-ol, 6'-methoxy-, (9S)-, sulfate (2:1) (salt)		
1.2. Relevant	identified uses of the subst	ance or mixture and uses advised a	gainst	
1.2.1. Relevant	identified uses			
Main use category		: Industrial use. Professional use.		
Use of the substance	e/mixture	: Laboratory chemicals Pharmaceuticals		
1.2.2. Uses adv	ised against			
No additional inform	•			
	the supplier of the safety c	lata sheet		
	e 3 g - Germany <u>ww.buchler-gmbh.com</u> - <u>info</u>	<u>@buchler-gmbh.com</u> Chemie GmbH, E-Mail: <u>sds@dlac-gmb</u>	<u>h.de</u>	
-	cy telephone number			
Country	Organisation/Company		Address	Emergency number
Germany	Giftinformationszentrum-No	rd	Robert-Koch-Straße 40	+49 551 19240
Connuny	Zentrum Pharmakologie und Toxikolo		D-37075 Göttingen	(German/English)
	-ordo identification			
	zards identification	Test sure		
	ation of the substance or m			
	ording to Regulation (EC) N	o. 1272/2008 [CLP]		
Acute toxicity (oral),				
	Category 1A H317			
Full text of H statements: s				
	hemical, human health and d. May cause an allergic skin			
2.2. Label elei	ments			
Labelling accordin Hazard pictograms (g to Regulation (EC) No. 12	72/2008 [CLP]		
	<i>)</i>	GHS07		
Signal word (CLP)		: Warning		
Hazard statements ((CLP)	: H302 - Harmful if swallowed. H317 - May cause an allergic skin re	eaction.	
Precautionary stater	nents (CLP)	 P261 - Avoid breathing dust. P270 - Do not eat, drink or smoke w P280 - Wear protective gloves, prot P301+P312 - IF SWALLOWED: Cal P302+P352 - IF ON SKIN: Wash wi P333+P313 - If skin irritation or rash 	when using this product. ective clothing, eye protection. Il a POISON CENTER, doctor if th plenty of soap and water.	

Quinidine Sulfate

BUCHL F A Member of the FAGUS Group

Date of issue:	24.09.2012
Revision date:	15.04.2025
Version:	12
Replaces version:	11

2.3. Other hazards

Contains no substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

•	mation on ingredients		
3.1. Substances	: Quinidine Sulfate		
Substance name			
	: 200-046-3 / 678-472-8		
CAS No	: 50-54-4 / 6591-63-5		
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Quinidine Sulfate	(CAS No) 50-54-4 / 6591-63-5 (EC No) 200-046-3 / 678-472-8	≥ 99.0	Acute Tox. 4 (Oral), H302 Skin Sens. 1A, H317
Full text of H-statements: see section 16			
3.2. Mixtures			
Not applicable			
SECTION 4: First aid measures	5		
4.1. Description of first aid measured	ures		
First-aid measures general		abel. Never give anyth	ossible show him this sheet. Failing this, ing by mouth to an unconscious person.
First-aid measures after inhalation	: Remove victim to fresh air a	nd keep at rest in a po	sition comfortable for breathing.
First-aid measures after skin contact	: Take off immediately all cor soap and water. If skin irrita	•	I wash it before reuse. Wash with plenty of t medical advice/attention.
First-aid measures after eye contact	: IF IN EYES: Rinse cautious and easy to do. Continue rir		al minutes. Remove contact lenses, if prese
First-aid measures after ingestion	: Rinse mouth. Drink water as	a precaution. Get me	dical advice/attention.
4.2. Most important symptoms ar	nd effects, both acute and delayed		
Symptoms/injuries	tachycardia, atrial flutter and	l cardiac arrest) and hy tus, visual disturbance	ardiovascular disturbances (ventricular ypotension. Signs of cinchonism: Neurotoxic s, confusion), gastrointestinal disorders (e.g matological disorders.
Symptoms/injuries after skin contact	: May cause an allergic skin r	eaction.	
Symptoms/injuries after ingestion	: Harmful if swallowed.		
4.3. Indication of any immediate	medical attention and special treatme	ent needed	
Treat symptomatically.			
SECTION 5: Firefighting measu	ures		
5.1. Extinguishing media			
Suitable extinguishing media	: Adapt extinguishing agent to extinguishing powder.	o suit the environment.	Water spray. Foam. Carbon dioxide. Dry
Unsuitable extinguishing media	: Do not use a heavy water s	ream.	
5.2. Special hazards arising from	the substance or mixture		
Hazardous decomposition products in ca fire		litrogen oxides.	
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for c environment.	ooling exposed contair	ners. Prevent fire-fighting water from enterin
Protection during firefighting	: Use a self-contained breath	ing apparatus and also	a protective suit (EN 469).
SECTION 6: Accidental release	e measures		
6.1. Personal precautions, protect	tive equipment and emergency proc	edures	
General measures	: Stop leak if safe to do so. P not breathe dust.	rovide adequate ventila	ation. Avoid contact with skin and eyes. Do

Safety Data Sheet

according to Regulation (EU) 2020/878



	Quinidine Sul	lfat	e	Date of issue:	24.09.2012
				Revision date:	15.04.2025
				Version:	12
				Replaces version:	11
6.1.1. Fo	r non-emergency personnel				
Emergency p	procedures	:	Only qualified personnel equipped with suita	able protective equipment	may intervene.
6.1.2. Fo	r emergency responders				
Protective ec	Juipment	:	Use personal protective equipment as requi insufficient ventilation.	red. Wear suitable respira	tory equipment in case of
6.2. En	vironmental precautions				
Prevent entry	y to sewers and public waters. Notify	fy a	uthorities if substance enters sewers or public	c waters.	
6.3. Me	thods and material for containme	ent	and cleaning up		
Methods for	cleaning up	:	Take up mechanically (sweeping, shovelling Minimize generation of dust. Dispose of in a		
6.4. Re	ference to other sections				
Concerning p	personal protective equipment to us	se, s	see section 8. Concerning disposal eliminatio	n after cleaning, see section	on 13.
SECTION	7: Handling and storage				
7.1. Pr	ecautions for safe handling				
Precautions	for safe handling	:	Provide local exhaust or general room venti Avoid contact with skin and eyes. Keep con		
Hygiene mea	isures	:	Handle in accordance with good industrial h eat, drink or smoke. Wash hands and other eating, drinking or smoking and when leavir before reuse.	exposed areas with mild s	soap and water before
7.2. Co	nditions for safe storage, includi	ing	any incompatibilities		
Storage cond	litions	:	Store in original container. Store tightly clos sunlight. Protect from moisture.	ed in a dry and cool place	. Keep out of direct
Storage temp	perature	:	This substance dose not require any specia	l temperature storage con	ditions.
Prohibitions	on mixed storage	:	Keep away from food, drink and animal feed	dingstuffs.	
7.3. Sp	ecific end use(s)				
No additiona	l information available				

SECTION 8: Ex	posure controls/	personal	protection
----------------------	------------------	----------	------------

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Use adequate ventilation. Avoid dust formation.

Hand protection:

Wear suitable gloves (EN 374). Latex. Nitrile rubber. Butyl rubber. 0.4 mm. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Chemical goggles or safety glasses (EN 166).

Skin and body protection:

Wear suitable protective clothing (EN 344).

Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection is recommended. Dust production: dust mask with filter type P2.

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties			
9.1.	Information on basic physical and o	hemical properties	
Physica	l state	: Solid, Powder	
Colour		: White	

Quinidine Sulfate



Date of issue:	24.09.2012
Revision date:	15.04.2025
Version:	12
Replaces version:	11

	Replaces version: 11
Odour	: Odourless
Melting point/freezing point	: 204 °C
Boiling point or initial boiling point and boiling range	: No data available
Flammability	: No data available
Lower and upper explosion limit	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
рН	: 6.0 - 6.8
Kinematic viscosity	: Not applicable
Solubility	: Water: 10.5 g/l
Partition coefficient n-octanol/water (log value)	: 5.4
Vapour pressure	: No data available
Density and/or relative density	: No data available
Relative vapour density	: No data available
Particle characteristics	: No data available
9.2. Other information	
9.2.1. Information with regard to physical haz	ard classes
Explosive properties	: The substance is not explosive. Dust can form an explosive mixture with air.
Oxidising properties	: The substance has no oxidising properties.
9.2.2. Other safety characteristics	
Molecular mass	: 782.9 g/mol
SECTION 10: Stability and reactivity	
10.1. Reactivity	
No dangerous reactions known under normal cor	nditions of use.
10.2. Chemical stability	
Stable under use and storage conditions as reco	mmended in section 7 for a minimum of 5 years
-	
10.3. Possibility of hazardous reactions None under normal use.	
10.4. Conditions to avoid	
Direct sunlight. High temperature. The degradation	on product quinicine is formed.
10.5. Incompatible materials	
Oxidizing agents.	
10.6. Hazardous decomposition products	
In case of fire: Carbon monoxide. Carbon dioxide	e. Nitrogen oxides.
SECTION 11: Toxicological information	ion
	prined in Regulation (EC) No 1272/2008
Acute toxicity	: Oral: Harmful if swallowed.
Quinidine Sulfate (50-54-4 / 6591-63-5)	
LD50 oral rat	456 mg/kg
LD50 oral mouse	700 mg/kg
LD50 oral guinea pig	362 mg/kg
Skin corrosion/irritation	Not classified
	Based on available data, the classification criteria are not met
	pH: 6.0 - 6.8
Serious eye damage/irritation	: Not classified
	Based on available data, the classification criteria are not met
Pospiratony or skip consistention	pH: 6.0 - 6.8
Respiratory or skin sensitisation	: May cause an allergic skin reaction.

Quinidine Sulfate



Quinidine Sulfate		Date of issue:	24.09.2012
		Revision date:	15.04.2025
		Version:	12
		Replaces version:	11
Germ cell mutagenicity	: Not classified		
	Based on available data, the classification	ation criteria are not met	
Carcinogenicity	: Not classified		
	Based on available data, the classification	ation criteria are not met	
Reproductive toxicity	: Not classified		
	Based on available data, the classification	ation criteria are not met	
Specific target organ toxicity (single exposure)	: Not classified		
	Based on available data, the classification	ation criteria are not met	
Specific target organ toxicity (repeated	: Not classified		
exposure)	Based on available data, the classification	ation criteria are not met	
Aspiration hazard	: Not classified		
	Based on available data, the classification	ation criteria are not met	
11.2. Toxicity			
11.2.1. Endocrine disrupting properties			
Endocrine disruption for human health	: The substance has no endocrine disru	upting properties.	
11.2.2. Other information			
Potential adverse human health effects and symptoms	: The main risks of acute quinidine over tachycardia, atrial flutter and cardiac a effects (e.g. headache, tinnitus, visual nausea, vomiting, diarrhoea), exanthe	arrest) and hypotension. Signs of I disturbances, confusion), gastro	cinchonism: Neurotoxic intestinal disorders (e.g.

SECTION 12: Ecological information	
12.1. Toxicity	
Acute aquatic toxicity	Not classified
Chronic aquatic toxicity	: Not classified
Quinidine Sulfate (50-54-4 / 6591-63-5)	
LC50 fish	30 mg/l 24 h, Anguilla anguilla
EC50 daphnia	33.67 - 44.81 mg/l 24 h, Daphnia magna
EC50 daphnia	46.7 mg/l 48 h, Daphnia magna (OECD 202)
LOEC daphnia	> 100 mg/l 24 h, Daphnia magna (OECD 202)
LOEC daphnia	50 mg/l 48 h, Daphnia magna (OECD 202)
NOEC daphnia	≥ 100 mg/l 24 h, Daphnia magna (OECD 202)
NOEC daphnia	25 mg/l 48 h, Daphnia magna (OECD 202)
EC50 other aquatic organisms	154.63 mg/l 24 h, Artemia salina
EC50 other aquatic organisms	4.9 mg/l 24 h, Brachionus calyciflorus
EC50 other aquatic organisms	4.64 ml/l 24 h, Streptocephalus proboscideus
12.2. Persistence and degradability	

Quinidine Sulfate (50-54-4 / 6591-63-5) Readily biodegradable. Persistence and degradability Biodegradation 69.2 % 28 d (OECD 301 B, Quinidine)

12.3.	Bioaccumulative	potential

Quinidine Sulfate (50-54-4 / 6591-63-5)	
Bioconcentration factor (BCF REACH)	10
Log Pow	5.4
Bioaccumulative potential	Low bioaccumulation potential.

Mobility in soil 12.4.

Quinidine Sulfate (50-54-4 / 6591-63-5)		
Log Koc 3.23 – 7.37		
12.5. Results of PBT and vPvB assessmen	t	
This substance does not meet the PBT- or vPvB criteria of REACH regulation, annex XIII.		
12.6. Endocrine disrupting properties		
Endocrine disruption for the environment : The substance has no endocrine disrupting properties.		

Quinidine Sulfate



Date of issue:	24.09.2012
Revision date:	15.04.2025
Version:	12
Replaces version:	11

	Replaces version:	11
12.7. Other adverse effects		
No additional information available		
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Regional legislation (waste) : Dispose in a safe manner in accord	lance with local/national regulations	
Waste treatment methods : This material and its container mus domestic waste. Do not empty into	•	e. Do not dispose of with
Waste disposal recommendations : Empty the packaging completely pr recyclable like any other packing.	ior to disposal. When totally empty,	containers are
European List of Waste (LoW) code : 07 00 00 - WASTES FROM ORGA 07 01 00 - wastes from the manufa chemicals	NIC CHEMICAL PROCESSES cture, formulation, supply and use (MFSU) of basic organic
· · ·	to the Ordinance on the European N d can therefore vary for any given p separately from each waste produce	roduct. The waste code
SECTION 14: Transport information		
In accordance with ADR / IMDG / IATA		

In accordance with ADR / IMDG / IATA		
14.1. UN number or ID number		
UN-No. (ADR)	: Not applicable	
UN-No. (IMDG)	: Not applicable	
UN-No. (IATA)	: Not applicable	
14.2. UN proper shipping name		
Proper Shipping Name (ADR)	: Not applicable	
Proper Shipping Name (IMDG)	: Not applicable	
Proper Shipping Name (IATA)	: Not applicable	
14.3. Transport hazard class(es)		
ADR		
Transport hazard class(es) (ADR)	: Not applicable	
IMDG		
Transport hazard class(es) (IMDG)	: Not applicable	
ΙΑΤΑ		
Transport hazard class(es) (IATA)	: Not applicable	
14.4. Packing group		
Packing group (ADR)	: Not applicable	
Packing group (IMDG)	: Not applicable	
Packing group (IATA)	: Not applicable	
14.5. Environmental hazards		
Dangerous for the environment	: No	
Marine pollutant	: No	
Other information	: No supplementary information available	
14.6. Special precautions for user		
- Overland transport Not applicable		
Not applicable		
- Transport by sea		
Not applicable		
- Air transport		
Not applicable		
14.7. Maritime transport in bulk according	a to IMO instruments	
Not applicable		

Quinidine Sulfate

BUCHLER A Member of the FAGUS Group

Date of issue:	24.09.2012
Revision date:	15.04.2025
Version:	12
Replaces version:	11

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List).

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List.

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).

Ozone Regulation (2024/590)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer).

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

15.1.2. National regulations

No additional information available


15.2. Chemical safety assessment

For this substance a chemical safety assessment was not carried out.

SECTION 16: Other information		
Data source	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.	
Changes compared to earlier Versions	: Section 1.1 Section 3.1 Section 15.1.1	

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
EC50	The effective concentration of substance that causes 50 % of the maximum response (Median Effective Concentration)
ΙΑΤΑ	International Air Transport Association
IMDG	"International Maritime Dangerous Goods Code" for the transport of dangerous goods by sea
LC50	Lethal Concentration to 50 % of a test population (Median Lethal Concentration)
LD50	Lethal Dose to 50 % of a test population (Median Lethal Dose)
LOAEL	Lowest Observed Adverse Effect Level
NOAEC/L	No Observed Adverse Effect Concentration/Level
NOEC/L	No Observed Effect Concentration/Level
OECD	Organisation for Economic Cooperation and Development
PBT	Persistent, Bioaccumulative and Toxic substance
PNEC	Predicted No-Effect Concentration
REACH	Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet





Quinidine Sulfate

Date of issue:	24.09.2012
Revision date:	15.04.2025
Version:	12
Replaces version:	11

STP	Sewage Treatment Plant
UFI	Unique Formula Identifier
vPvB	Very Persistent and Very Bioaccumulative

Full text of H- and EUH-statements:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Skin Sens. 1A	Sensitisation - Skin, Category 1A
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.